

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented) In a communications-networking environment, a method for automatically presenting the progress of a transaction, comprising:

receiving a transaction that requires completing one or more substeps wherein a substep is a process to be performed in an execution of the transaction; and

without user interaction, communicating to one or more display devices one or more indications respectively related to said one or more substeps as said one or more substeps are performed wherein communicating to the one or more display devices comprises communicating the one or more indications to a broadcasting device and sending the one or more indications from the broadcasting device to the one or more display devices.

2. (Currently Amended) The method of claim 1, wherein said transaction includes two or more of the following:

modifying call-routing instructions associated with a telecommunications network;

implementing a database update; and

implementing a LERG (Local Exchange Routing Guide) update[;].

3. (Previously Presented) The method of claim 2, wherein receiving a transaction includes suspending user control until said transaction is received, without user interaction, but prior to when said transaction is completed.

4. (Original) The method of claim 1, wherein communicating said one or more indications include communicating the indications to a device other than the device from which the transaction request was submitted.

5. (Previously Presented) The method of claim 2, wherein communicating said one or more indications include communicating indications corresponding to disparate transactions to one or more display devices wherein disparate transactions are separate distinct transactions.

6. (Currently Amended) The method of claim 2, wherein said indications respectively related to said ~~me~~ two or more substeps correspond to one or more of the following events:

when a transaction is submitted;

when a transaction is received;

when a transaction is validated;

when a transaction is accepted;

when a transaction is reformatted;

when a transaction is sent to one or more network devices; and/or

when one or more messages from said one or more network devices are received.

7. (Original) The method of claim 6, wherein said indications include a description of said respective event.

8. (Previously Presented) One or more computer-readable storage media having computer-useable instructions embodied thereon for automatically providing real-time transaction-progression status updates, said method comprising:

receiving a transaction, wherein the execution of the transaction involves performing one or more subprocesses;

generating a plurality of status indicators as said one or more subprocesses progress; and

dynamically communicating one or more of said plurality of status indicators to a broadcasting device, whereby said plurality of status indicators can be sent to one or more receiving components.

9. (Currently Amended) The media of claim 8, wherein receiving a transaction includes receiving ~~me~~ two or more of the following:

a database-update request;

a table-modification request;

a LERG (Local Exchange Routing Guide) update; and

a network-device-configuration change.

10. (Original) The media of claim 9, wherein generating a plurality of status indicators include generating an indication of one or more of the following events:

when a transaction is submitted;

when a transaction is received;

when a transaction is validated;
when a transaction is accepted;
when a transaction is reformatted;
when a transaction is sent to one or more network devices; and/or
when one or more messages from said one or more network devices are received.

11. (Original) The method of claim 10, wherein said plurality of status indicators include a description of said respective event.

12. (Original) The method of claim 9, wherein dynamically communicating one or more of said plurality of status indicators are accomplished without user intervention.

13. (Previously Presented) The method of claim 9, wherein dynamically communicating one or more of said plurality of status indicators include sending indicator(s) associated with unique transactions simultaneously wherein the unique transactions are separate distinct transactions.

14. (Currently Amended) In a communications networking environment, a system for monitoring transaction progression in real time, the system comprising:

a request-receiving component that receives an incoming transaction
wherein said request receiving component retains processing control while receiving said incoming transaction but releases processing control, without user interaction, prior to final execution of said transaction and wherein said incoming-transaction includes two or more of the following:

a call-routing modification associated with a telecommunications network;
a database update;
a LERG (Local Exchange Routing Guide) update;
a table-modification request; and
a network-device-configuration change;
a status-monitoring component - coupled to said request-receiving component - that monitors the progression of said transaction and provides feedback related to the status of the transaction's progression toward completion;
and
a status-transmission component that receives said feedback and communicates said feedback to one or more receiving devices.

15-16. (Cancelled).

17. (Currently Amended) The system of claim ~~16~~14, wherein the status-monitoring component identifies a plurality of events that are accomplished as said transaction progresses toward final execution.

18. (Original) The system of claim 17, wherein the plurality of events include one or more of:

submitting a transaction to process;
receiving a transaction;
validating a transaction;
accepting a transaction;
sending a transaction to one or more network devices; and

receiving one or more responses from said network devices.

19-22. (Cancelled)

23. (Currently Amended) In a networking environment, a method for performing transaction ~~updates~~ executions asynchronously comprising:

receiving from a user a request to execute one or more transactions;

withholding processing control from said user while communicating said one or more transactions to a transaction receiver; and

returning processing control to said user incident to completing communication of said one or more transactions to said transaction receiver but prior to the execution of said one or more transactions.